MATERIAL SAFETY DATA SHEET

CHEMGUARD 3% AFFF C-303

Revision Date: 1/25/2006

1. PRODUCT IDENTIFICATION

Chemical Family: Surfactant mixture; fire fighting foam concentrate

Aqueous Film Forming Foam

Product name: Chemguard 3% AFFF C-303

Manufacturer: Chemguard, Inc.

204 South 6th Ave. Mansfield, TX 76063

emergency phone: 817-473-9964

2. COMPOSITION / INFORMATION ON INGREDIENTS

	ACGIH/	PPM	OSHA/PPM	
Common Name	<u>TWA</u>	STEL	<u>PEL</u>	% by wt
water				85% - 90%
propylene glycol t-butyl ether	not establis	hed		2% - 4%
magnesium sulfate	N/A	N/A	N/A	1% - 2%
proprietary hydrocarbon surfactant	N/A	N/A	N/A	proprietary
proprietary fluorosurfactant	N/A	N/A	N/A	proprietary
	water propylene glycol t-butyl ether magnesium sulfate proprietary hydrocarbon surfactant	Common Name water propylene glycol t-butyl ether magnesium sulfate proprietary hydrocarbon surfactant TWA not establis N/A	water propylene glycol t-butyl ether not established magnesium sulfate N/A N/A proprietary hydrocarbon surfactant N/A N/A	Common NameTWASTELPELwaterpropylene glycol t-butyl ethernot establishedmagnesium sulfateN/AN/AN/Aproprietary hydrocarbon surfactantN/AN/AN/A

3. HAZARDS IDENTIFICATION

Routes of entry: Dermal, inhalation and ingestion

Potential Health Effects: May cause skin and eye irritation.

Carcinogenicity: Not a carcinogen.

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Call a physician.

Inhalation: Remove to fresh air.

Skin: Rinse with water. Wash with soap and water. Contaminated clothing should be washed

before re-use.

Eyes: Rinse with water. Call a physician.

5. FIRE FIGHTING MEASURES

Flash Point: >150°F
Flammable Limits in air (lower % by volume): not evaluated
Flammable Limits in air (upper % by volume): not evaluated
Auto-ignition Temperature: not evaluated

General Hazards: None known.

Fire Fighting Equipment: Self contained breathing apparatus

Fire Extinguishing Media: Water, Foam, Carbon Dioxide, Dry Chemical, Halon

Fire and Explosion Hazards: Decomposition products may be toxic. Hazardous Combustion Products: oxides of nitrogen, sulfur and carbon

6. ACCIDENTAL RELEASE

Contain spills. Vacuum or pump into storage containers, absorb smaller quantities with absorbent materials, and dispose of properly. Washing area with water will create large amounts of foam.

Dispose of released and contained material in accordance with local, state, and federal regulations. Release to local waste treatment plant only with permission.

7. HANDLING AND STORAGE

Store in original container, or appropriate end-use device. Store at temperatures of 35 - 120 degrees F. If the material freezes, it may be thawed without loss of performance.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eye Protection: Wear side-shield safety glasses.

Skin Protection: Wear latex gloves.

Respiratory Protection: Use organic vapor respirator if needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: 205° - 212°F

Melting Point: 30° F
Specific Gravity: 1.012 g/ml
Vapor Pressure (mm Hg): N/A
pH 7.0 - 8.5

pH 7.0 - 8.5
Flash Point (PMCC): >150°F
Vapor Density (air = 1) N/A
Solubility in water: 100%

Appearance: clear amber liquid Odor: slight solvent odor

10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibility: Strong oxidizers

Hazardous Polymerization: Will not occur.

Decomposition Products: Oxides of nitrogen, sulfur, carbon.

11. TOXICOLOGICAL INFORMATION

Eye Irritation: (Rabbits) mild irritant Skin Irritation: (Rabbits) minimal irritant

Inhalation Toxicity: not evaluated Sensitization: not evaluated Teratology: not evaluated Mutagenicity: not evaluated Reproduction: not evaluated Acute Oral Effects (Rats): not evaluated

12. ECOLOGICAL INFORMATION

	CONCENTRATE	SOLUTION (AS USED)
Chemical Oxygen Demand:	210,000 mg/l	6,300 mg/l
Biological Oxygen Demand (20 day):	79,800 mg/l	2,394 mg/l
Biodegradability (B.O.D./C.O.D.)	38%	38%
Total Organic Carbon:	33,600 mg/l	1008 mg/l
LC50 (96 hour pimephales promelas)	233 ppm	7767 ppm
LC50 (48 hour, daphnia magna)	1110 ppm	37,000 ppm

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state, and federal regulations. Discharge to waste treatment plants only with permission. Anti-foam agents may be used to reduce foaming in waste streams.

14. TRANSPORTATION INFORMATION

Department of Transportation proper shipping name: not regulated

15. REGULATORY INFORMATION

All ingredients are on the TSCA inventory.

No components are reportable under SARA Title III, sec. 313

No components are priority pollutants listed under the U.S. Clean Water Act Section 307 (2)(1)

Priority Pollutant List (40 CFR 401.15).

No components are reportable under CERCLA.

16. OTHER INFORMATION

NFPA Hazard Ratings		HMIS Identification System
1	Health Hazard Rating	1
1	Flammability Rating	1
0	Instability/Reactivity Rating	0

CHANGE LOG:

Revision 2 - Revision date changed.