

MATERIAL SAFETY
DATA SHEET

CHEMGUARD 3% AR-AFFF C33LT

Revision Date: 1/26/2006

1. PRODUCT IDENTIFICATION

Chemical Family: Surfactant mixture; fire fighting foam concentrate
Aqueous Film Forming Foam

Product name: Chemguard 3% AR-AFFF C33LT

Manufacturer: Chemguard, Inc.
204 South 6th
Mansfield, TX 76063
phone - 817-473-9964

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>CAS NO.</u>	<u>Common Name</u>	<u>ACGIH/PPM</u>		<u>OSHA/PPM</u>		<u>% by wt</u>
		<u>TWA</u>	<u>STEL</u>	<u>PEL</u>		
7732-18-5	water					55% - 65%
112-34-5	diethylene glycol monobutyl ether	not established				3% - 6%
	proprietary hydrocarbon surfactant					proprietary
	proprietary fluorosurfactant	N/A	N/A	N/A		proprietary
	polysaccharide gum	N/A	N/A	N/A		1% - 2%
107-21-1	ethylene glycol	(CEIL) 50ppm		(CEIL) 50 ppm		25%

3. HAZARDS IDENTIFICATION

Routes of entry: Dermal, inhalation and ingestion

Potential Health Effects: May cause skin and eye irritation.

Carcinogenicity: Not a carcinogen.

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Call a physician.

Inhalation: Remove to fresh air.

Skin: Rinse with water. Wash with soap and water. Contaminated clothing should be washed before re-use.

Eyes: Rinse with water. Call a physician.

5. FIRE FIGHTING MEASURES

Flash Point:	no flash to boiling
Flammable Limits in air (lower % by volume):	not evaluated
Flammable Limits in air (upper % by volume):	not evaluated
Auto-ignition Temperature:	not evaluated

General Hazards: None known.

Fire Fighting Equipment: Self contained breathing apparatus

Fire Extinguishing Media: Water, Foam, Carbon Dioxide, Dry Chemical, Halon

Fire and Explosion Hazards: Decomposition products may be toxic.

Hazardous Combustion Products:

6. ACCIDENTAL RELEASE

Contain spills. Vacuum or pump into storage containers, absorb smaller quantities with absorbent materials, and dispose of properly. Washing area with water will create large amounts of foam.

Dispose of released and contained material in accordance with local, state, and federal regulations. Release to local waste treatment plant only with permission.

7. HANDLING AND STORAGE

Store in original container, or appropriate end-use device. Store at temperatures of -2° - 120° F. If the material freezes, it may be thawed without loss of performance.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eye Protection: Wear side-shield safety glasses.

Skin Protection: Wear latex gloves.

Respiratory Protection: Use organic vapor respirator if needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	212 degrees F.
Melting Point:	-2° F
Specific Gravity:	1.05 g/ml
Vapor Pressure (mm Hg):	N/A
pH	7.0 - 8.5
Flash Point (PMCC):	no flash to boiling
Vapor Density (air = 1)	N/A
Solubility in water:	100%
Appearance:	opaque, thick liquid
Odor:	very slight solvent odor

10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibility: Strong oxidizers

Hazardous Polymerization: Will not occur.

Decomposition Products: Oxides of nitrogen, sulfur, carbon.

11. TOXICOLOGICAL INFORMATION

Eye Irritation: (Rabbits) mild irritant
Skin Irritation: (Rabbits) minimal irritant
Inhalation Toxicity: not evaluated
Sensitization: not evaluated
Teratology: not evaluated
Mutagenicity: not evaluated
Reproduction: not evaluated
Acute Oral Effects (Rats): not evaluated

12. ECOLOGICAL INFORMATION

	<u>CONCENTRATE</u>	<u>DILUTION</u>
Chemical Oxygen Demand:	619,972 mg/l	18,599 mg/l
Biological Oxygen Demand (20 day):	389,600 mg/l	11,688 mg/l
Biodegradability (B.O.D./C.O.D.):	63%	63%
Total Organic Carbon:	202,000 mg/l	6060 mg/l
LC50 (96 hour pimephales promelas)	not determined	not determined
LC50 (48 hour, daphnia magna)	not determined	not determined

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state, and federal regulations. Discharge to waste treatment plants only with permission. Anti-foam agents may be used to reduce foaming in waste streams.

14. TRANSPORTATION INFORMATION

Department of Transportation proper shipping name: not regulated

15. REGULATORY INFORMATION

All ingredients are on the TSCA inventory.
Ethylene glycol is reportable under SARA Title III, RQ = 5,000 lbs
No components are reportable under **CERCLA**.

16. OTHER INFORMATION

NFPA Hazard Ratings		HMIS Identification System
1	Health Hazard Rating	1
0	Flammability Rating	0
0	Instability/Reactivity Rating	0

Change Log:
Revision 2, 1/26/06 - Flammability rating changed from 1 to 0.
Revision date changed.