<u>MATERIAL SAFETY</u> <u>DATA SHEET</u>

CHEMGUARD 3% AFFF C3LT

Revision Date:

1/26/2006

1. PRODUCT IDENTIFICATION

Chemical Family: Surfactant mixture; fire fighting foam concentrate Aqueous Film Forming Foam

- Product name: Chemguard 3% AFFF C3LT
- Manufacturer: Chemguard, Inc. 204 South 6th Mansfield, TX 76063 phone - 817-473-9964

2. COMPOSITION / INFORMATION ON INGREDIENTS

		ACGIH/PI	РΜ	OSHA/PPM	
CAS NO.	Common Name	TWA	<u>STEL</u>	PEL	<u>% by wt</u>
7732-18-5	water				55% - 65%
112-34-5	diethylene glycol monobutyl ether	not establishe	ed		3% - 6%
	proprietary hydrocarbon surfactant			proprietary	
	proprietary fluorosurfactant	N/A	N/A	N/A	proprietary
	polysacchaaride gum	N/A	N/A	N/A	1% - 2%
107-21-1	ethylene glycol	(CEIL) 50ppm	n (C	EIL) 50 ppm	18%

3. HAZARDS IDENTIFICATION

Routes of entry: Dermal, inhalation and ingestion Potential Health Effects: May cause skin and eye irritation.

Carcinogenicity: Not a carcinogen.

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Call a physician. Inhalation: Remove to fresh air. Skin: Rinse with water. Wash with soap and water. Contaminated clothing should be washed before re-use.

Eyes: Rinse with water. Call a physician.

5. FIRE FIGHTING MEASURES

Flash Point: Flammable Limits in air (lower % by volume): Flammable Limits in air (upper % by volume): Auto-ignition Temperature: no flash to boiling not evaluated not evaluated not evaluated

General Hazards: None known.

Fire Fighting Equipment: Self contained breathing apparatus Fire Extinguishing Media: Water, Foam, Carbon Dioxide, Dry Chemical, Halon Fire and Explosion Hazards: Decomposition products may be toxic. Hazardous Combustion Products:

6. ACCIDENTAL RELEASE

Contain spills. Vacuum or pump into storage containers, absorb smaller quantities with absorbent materials, and dispose of properly. Washing area with water will create large amounts of foam.

Dispose of released and contained material in accordance with local, state, and federal regulations. Release to local waste treatment plant only with permission.

7. HANDLING AND STORAGE

Store in original container, or appropriate end-use device. Store at temperatures of -20° - 120° F. If the material freezes, it may be thawed without loss of performance.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eye Protection: Wear side-shield safety glasses. Skin Protection: Wear latex gloves. Respiratory Protection: Use organic vapor respirator if needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	212 degrees F.	
Melting Point:	-22° F	
Specific Gravity:	1.05 g/ml	
Vapor Pressure (mm Hg):	N/A	
рН	7.0 - 8.5	
Flash Point (PMCC):	no flash to boiling	
Vapor Density (air = 1)	N/A	
Solubility in water:	100%	
Appearance:	opaque, thick liquid	
Odor:	very slight solvent odor	

10. STABILITY AND REACTIVITY

Stability: Stable Incompatibility: Strong oxidizers Hazardous Polymerization: Will not occur. Page 2 of 3 Decomposition Products: Oxides of nitrogen, sulfur, carbon.

11. TOXICOLOGICAL INFORMATION

Eye Irritation: (Rabbits) mild irritant				
Skin Irritation: (Rabbits) minimal irritant				
Inhalation Toxicity:	not evaluated			
Sensitization:	not evaluated			
Teratology:	not evaluated			
Mutagenicity:	not evaluated			
Reproduction:	not evaluated			
Acute Oral Effects (Rats):	not evaluated			

12. ECOLOGICAL INFORMATION

	<u>CONCENTRATE</u>	SOLUTION
Chemical Oxygen Demand:	509,239 mg/l	15,277 mg/l
Biological Oxygen Demand (20 day):	361,867 mg/l	10,856 mg/l
Biodegradability (B.O.D./C.O.D.)	71%	71%
Total Organic Carbon:	165,900 mg/l	4,977 mg/l
LC50 (96 hour pimephales promelas)	not determined	not determined
LC50 (48 hour, daphnia magna)	not determined	not determined

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state, and federal regulations. Discharge to waste treatment plants only with permission. Anti-foam agents may be used to reduce foaming in waste streams.

14. TRANSPORTATION INFORMATION

Department of Transportation proper shipping name: not regulated

15. REGULATORY INFORMATION

All ingredients are on the TSCA inventory. Ethylene glycol is reportable under SARA Title III, RQ = 5,000 lbs No components are reportable under **CERCLA**.

16. OTHER INFORMATION

NFPA Hazard Ratings		HMIS Identification System
1	Health Hazard Rating	1
1	Flammability Rating	1
0	Instability/Reactivity Rating	0

Change Log:

Revision 2, 1/26/06 - Revision date changed.